

User-Friendly Features for Better Diabetes Care

- Uses GOD enzyme to avoid the interference from maltose, galactose, etc
- Individually foil wrapped test strips available for added accuracy and safety



- Easy two-step, fast and accurate testing



Insert a test strip to turn on the meter



Apply a tiny blood sample and obtain result in just 5 seconds

- On Call® Plus II strip can be used with On Call® Plus meter with 10 seconds testing time and 0.5 µL sample volume



ACON®

ACON Laboratories, Inc., 10125 Mesa Rim Road, San Diego, CA 92121, U.S.A.

Tel: 1-858-875-8000 Fax: 1-858-200-0729 E-mail: info@aconlabs.com


Please visit our website for details: www.acondiabetescare.com

CE 0123

1150750201

© 2014 ACON Laboratories, Inc.

On Call® Plus II Blood Glucose Monitoring System



More Reliable
More Comfortable
More Affordable



ACON®
Diabetes Care

For self testing and professional use

Why is SMBG important for diabetics?

Self-monitoring of blood glucose (SMBG) enables better blood glucose control, which decreases the long-term risks of diabetic complications. It allows patients to track their blood glucose levels anytime, which helps prevent the immediate and potentially serious consequences of very high or very low blood glucose levels. Self-monitoring your blood glucose levels is one of the best ways to examine how well a diabetes treatment plan is working for you.

How often do you need to test?


SMBG Frequency Treatment Regimen	Blood Glucose Level	
	At Target	Above Target
Multiple daily injections or insulin pump	> 3-4 times / day	> 3-4 times/day
Oral agents or once-daily insulin	> 1 time/day + 1 profile*/week	> 2 times/day
Oral agents plus once-daily insulin	> 1 time/day + Frequent profiles	> 2 times/day
Non-pharmacologic therapy	> 1 profile/week	> 1 profile/week

* A collection of pre - and post-meal glucose test results over a 7-day period.

Ref.: The American Journal of Medicine (2005) Vol 118 (Suppl9A), 15-65

What is your blood glucose target level?

The table below shows tight diabetes control targets, which are the normal target levels for nondiabetics that have been recommended by ADA. Aiming to control the glucose levels as close as possible to the numbers below will help the diabetic to prevent complications. It is important to set your individual goals with your health care provider.



Please consult your health care provider for your blood glucose target ranges.

Ref.: Diagnosis and Classification of Diabetes Mellitus, ADA DIABETES CARE, 2011 (01 2011) VOL34, SUPPLEMENT 1

Accurate Results with Advanced Features

- Accurate results that can comply with new ISO15197



- Requires a small sample of only 0.5 µL



0.5 µL

- Fast results in as little as 5 seconds



5 seconds

Smart and Powerful Data Management

- 300 test memory with date and time
- 7, 14, and 30-day averaging allows users to quickly identify blood glucose trends
- Easy PC connection by USB cable
- *On Call*® Diabetes Management Software allowing for better data analysis

