

Mission® Urinalysis Strips and Controls



Mission® Urinalysis Reagent Strips

Simple to use

- Analytical sensitivity comparable to market leaders
- High quality color chart ensures accurate visual reading
- Compatible for visual and analyzer reading
- Over 35 different combinations available

Multiple Packaging Options

Canister Packaging

- Available in 25, 50, and 100 strips per canister
- Available in 150 strips per canister without MA/CRE Combo

Pouch Packaging

- Individually packaged strips available in kits of 3 or 6 strips for visual reading only (includes 1 color chart)
- Unique packaging maintains 2 year shelf life for all strips in the kit

Shelf Life

- 2 year shelf life for unopened canisters offers cost savings
- 3 month shelf life for strips in opened canisters



High Quality
Color Chart



Large Choice
of Parameter
Combinations



Individually
Pouched Strips

Reagent Strips 3 Easy Steps



STEP 1
Immerse strip
into urine



STEP 2
Remove excess
urine



STEP 2
Obtain results by analyzer or visual reading

Mission® Urine Controls

Accurate

- Use with Mission® and Mission® Expert Urinalysis Reagent Strips and Urine Analyzers for optimum quality control
- Validate urinalysis results and prevent procedure errors

Quick Testing

- Ensures accurate results for all parameters
- Obtain quick results in any setting
- Competitively priced

Two Types of Urine Controls available

- Ready to use without dissolving in distilled water
- 24 months shelf life for unopened controls at 2 - 8 °C
- Two Packaging Options

Dropper Tip Bottles

- Dropper tip bottles provide efficient use of the control solution
- Easily drop the control solution onto each reagent pad using the dropper tip bottle
- Controls can be used up to 30 days at room temperature
- Controls can be used until the expiration date if kept refrigerated

Diptubes

- Diptube packaging allows for QC testing in a way similar to using a urine specimen
- Simply dip the strip into the control solution and read results, or place on strip tray for analyzer reading
- Controls can be used 30 days at room temperature
- Do not dip more than 20 strips into the tube to avoid inaccurate results
- Controls can be used until the expiration date if kept refrigerated



High Quality Color Chart



Large Choice of Parameter Combinations



Dropper bottles or Dip Tubes

Urine Control Specifications

| Features | Specifications | |
|-----------------------------|--|---|
| Product Name | Liquid Urine Control | Liquid Diptube Urine Control |
| Test Parameters | LEU, NIT, URO, PRO, pH, BLO, SG, KET, BIL, GLU, ASC, ALB, CRE, CA (13) | |
| Solution Detection Levels | Level 1 | Negative: LEU, NIT, URO, PRO, pH, BLO, SG, KET, BIL, GLU, ASC, ALB, CRE, CA |
| | Level 2 | Positive: LEU, NIT, URO, PRO, pH, BLO, SG, KET, BIL, GLU, ALB CRE, CA and Negative ASC |
| Compatible Urine Strips | Mission® Urinalysis Reagent Strips and Mission® Expert Urinalysis Reagent Strips | |
| Reading Time/Stability | Refer to insert | Refer to insert |
| Storage Temperature | 2 - 8 °C | 2 - 8 °C |
| Unopened Control Shelf Life | 24 months | 24 months |
| Opened Control Stability | 30 days at 15 - 30 °C or until the expiration date at 2 - 8 °C | 30 days at 15 - 30 °C or until the expiration date at 2 - 8 °C |
| Maximum Tests per Unit | 20 to 40 tests/bottle | 20 tests/diptube |

Ordering Information

| Product Name | Catalog | Product Number | Components | Kit Box Dimensions (LxWxH) & Weight | Carton Dimensions (LxWxH) & Weight | # Kits / Carton |
|------------------------------|---------|----------------|--|-------------------------------------|------------------------------------|-----------------|
| Liquid Urine Control | X | U021-011 | Level 1: 3 x 10 mL /bottle; Level 2: 3 x 10 mL/bottle | 85 mm x 55 mm x 60 mm; 107 g | 400 mm x 270 mm x 345 mm; 5.2 kg | 198 |
| | | | Level 1: 3 x 5 mL/bottle; Level 2: 3 x 5 mL/bottle | 85 mm x 55 mm x 60 mm; 75 g | 400 mm x 270 mm x 345 mm; 4.2 kg | 198 |
| | | | Level 1: 1 x 10 mL/bottle; Level 2: 1 x 10 mL/bottle | 55 mm x 28 mm x 60 mm; 41 g | 400 mm x 270 mm x 345 mm; 6.6 kg | 228 |
| | | | Level 1: 1 x 5 mL/bottle; Level 2: 1 x 5 mL/bottle | 55 mm x 28 mm x 60 mm; 31 g | 400 mm x 270 mm x 345 mm; 5.5 kg | 228 |
| Liquid Diptube Urine Control | X | U021-071 | Level 1: 2 x 12 mL/diptube; Level 2: 2 x 12 mL/diptube | 130 mm x 55 mm x 55 mm; 101 g | 385 mm x 255 mm x 320 mm; 4.7 kg | 30 |
| | | | Level 1: 1 x 12 mL/diptube; Level 2: 1 x 12 mL/diptube | 130 mm x 55 mm x 55 mm; 62 g | 385 mm x 255 mm x 320 mm; 3.5 kg | 30 |



aconlabs.com

ACON Laboratories, Inc.
10125 Mesa Rim Road, San Diego, CA 92121, U.S.A.
Tel: 1.858.875.8000
Fax: 1.858.200.0729
Email: info@aconlabs.com